

10/517,859 YONG CHU 5-19-2006

\$\$^STN;HighlightOn=;HighlightOff=;

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptaylc1626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 JAN 17 Pre-1988 INPI data added to MARPAT
NEWS 4 FEB 21 STN AnaVist, Version 1.1, lets you share your STN AnaVist
visualization results
NEWS 5 FEB 22 The IPC thesaurus added to additional patent databases on STN
NEWS 6 FEB 22 Updates in EPFULL; IPC 8 enhancements added
NEWS 7 FEB 27 New STN AnaVist pricing effective March 1, 2006
NEWS 8 MAR 03 Updates in PATDPA; addition of IPC 8 data without attributes
NEWS 9 MAR 22 EMBASE is now updated on a daily basis
NEWS 10 APR 03 New IPC 8 fields and IPC thesaurus added to PATDPAFULL
NEWS 11 APR 03 Bibliographic data updates resume; new IPC 8 fields and IPC
thesaurus added in PCTFULL
NEWS 12 APR 04 STN AnaVist \$500 visualization usage credit offered
NEWS 13 APR 12 LINSPEC, learning database for INSPEC, reloaded and enhanced
NEWS 14 APR 12 Improved structure highlighting in FQHIT and QHIT display
in MARPAT
NEWS 15 APR 12 Derwent World Patents Index to be reloaded and enhanced during
second quarter; strategies may be affected
NEWS 16 MAY 10 CA/CAPplus enhanced with 1900-1906 U.S. patent records
NEWS 17 MAY 11 KOREAPAT updates resume
NEWS 18 MAY 19 Derwent World Patents Index to be reloaded and enhanced

NEWS EXPRESS FEBRUARY 15 CURRENT VERSION FOR WINDOWS IS V8.01a,
CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005.
V8.0 AND V8.01 USERS CAN OBTAIN THE UPGRADE TO V8.01a AT
<http://download.cas.org/express/v8.0-Discover/>

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8
NEWS X25 X.25 communication option no longer available after June 2006

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * *

COMPLETE THE STN SURVEY - APRIL 27 THROUGH MAY 31

Dear valued STN customer,

In an effort to enhance your experience with STN, we would like to better understand what you find useful. Please take approximately 5 minutes to complete a web survey.

If you provide us with your name, login ID, and e-mail address, you will be entered in a drawing to win a free iPod(R). Your responses will be kept confidential and will help us make future improvements to STN.

Take survey: <http://www.zoomerang.com/survey.zgi?p=WEB2259HNKWTUW>

Thank you in advance for your participation.

* * * * * STN Columbus * * *

FILE 'HOME' ENTERED AT 20:01:28 ON 19 MAY 2006

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 20:01:43 ON 19 MAY 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 18 MAY 2006 HIGHEST RN 884905-05-9

DICTIONARY FILE UPDATES: 18 MAY 2006 HIGHEST RN 884905-05-9

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*



Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10517859\10517859.str



```

chain nodes :
7 8 9 10 11 12 13 14 15 16 17 18
ring nodes :
1 2 3 4 5 6 19 20 21 22 23 24
chain bonds :
4-7 5-12 6-16 7-8 8-9 8-10 8-11 12-13 12-15 13-14 16-17 16-18 17-19
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 19-20 19-24 20-21 21-22 22-23 23-24
exact/norm bonds :
4-7 7-8 8-9 8-10 8-11 12-13 12-15 13-14 16-17 16-18 17-19
exact bonds :
5-12 6-16
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 19-20 19-24 20-21 21-22 22-23 23-24

```

```

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS
19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom

```

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.

=> s l1
SAMPLE SEARCH INITIATED 20:02:07 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 4 TO ITERATE

100.0% PROCESSED 4 ITERATIONS 2 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 4 TO 200
PROJECTED ANSWERS: 2 TO 124

L2 2 SEA SSS SAM L1

=> s l1 full
FULL SEARCH INITIATED 20:02:12 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 101 TO ITERATE

100.0% PROCESSED 101 ITERATIONS 21 ANSWERS
SEARCH TIME: 00.00.01

L3 21 SEA SSS FUL L1

=> file caplus
COST IN U.S. DOLLARS SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST 166.94 167.15

FILE 'CAPLUS' ENTERED AT 20:02:19 ON 19 MAY 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 19 May 2006 VOL 144 ISS 22
FILE LAST UPDATED: 18 May 2006 (20060518/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l3
L4 3 L3


=> d ibib abs hitstr tot

ODP? Not into US
Same assignee

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2006 ACS ON STN
ACCESSION NUMBER: 2005:1103752 CAPLUS
DOCUMENT NUMBER: 141:387026
TITLE: Preparation of pyrazolymethylmethylphenyl
phthalamides and related compounds as insecticides
INVENTOR(S): Wada, Katsuki; Gomibuchi, Takuya; Yoneta, Yasushi;
Otsu, Yuichi; Shibuya, Katsuhiko; Nakakura, Norihiko;
Fischer, Ruediger
PATENT ASSIGNEE(S): Bayer Cropscience A.-G., Germany
SOURCE: PCT Int. Appl., 88 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005095351	A1	20051013	WO 2005-EP2130	20050301
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MY, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, AY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, NI, TD, TG				
JP 2006076990	AZ	20060323	JP 2004-367994	20041220
PRIORITY APPL. INFO.:			JP 2004-70976	A 20040312
			JP 2004-235553	A 20040812
			JP 2004-367994	A 20041220

OTHER SOURCE(S): MARPAT 141:387026
GI




AB Title comps. [1: X = H, halo, NO2, alkylsulfonyloxy, alkylsulfinyl,

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2006 ACS ON STN (Continued)
Absolute stereochemistry.




RN 866636-81-9 CAPLUS
CN 1,2-Benzenedicarboxamide, N1-[4-[[3,5-bis(trifluoromethyl)-1H-1,2,4-triazol-1-yl]methyl]-2-methylphenyl]-N2-[(1S)-1-methyl-2-(methylsulfinylethyl)-3-[(methylsulfonyloxy)]-9CI] (CA INDEX NAME)

Absolute stereochemistry.



RN 866637-11-8 CAPLUS
CN 1,2-Benzenedicarboxamide, N1-[4-[[3,5-bis(trifluoromethyl)-1H-pyrazol-1-yl]-2-methylphenyl]-N2-[(1S)-1-methyl-2-(methylsulfinylethyl)-3-[(methylsulfonyloxy)]-9CI] (CA INDEX NAME)

Absolute stereochemistry.




REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RECORD

FORMAT

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2006 ACS ON STN (Continued)
alkylsulfonyl C1-6alkylsulfonyl: R1 = alkyl, alkylthioalkyl, alkylsulfinylalkyl, alkylsulfonylalkyl: Y = halo, alkyl: m = 0, 1; A = O, S, SO, SO2, CH2, CHMe; Q = [substituted] 5-6 membered heterocyclyl that contains 21 of N, O, S], were prep. Thus, 3-[(1,1-dimethyl-2-methylsulfinylethyl)imino]-4-iodo-3H-isobenzofuran-1-one, 1-(1-methyl-4-aminobenzyl)-3,5-bis(trifluoromethyl)-1H-pyrazole (prepn. given), and p-TsOH were stirred in MeCN at 60° for 3 h to give title compd. (II). II and numerous addnl. I at 20 ppm gave 100% kill of Cnaphalocrocia medinalis Guenee on paddy rice.
IT 866636-32-0P 866636-33-1P 866636-80-8P
866636-81-8P 866637-11-8P
RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation);


US25 (Uses)
(Preparation of pyrazolymethylmethylphenyl phthalamides and related compds. as insecticides)
RN 866636-32-0 CAPLUS
CN 1,2-Benzenedicarboxamide, N1-[4-[[3,5-bis(trifluoromethyl)-1H-pyrazol-1-yl]methyl]-2-methylphenyl]-N2-[(1S)-1-methyl-2-(methylthioethyl)-3-[(methylsulfonyloxy)]-9CI] (CA INDEX NAME)

Absolute stereochemistry.



RN 866636-33-1 CAPLUS
CN 1,2-Benzenedicarboxamide, N1-[4-[[3,5-bis(trifluoromethyl)-1H-pyrazol-1-yl]methyl]-2-methylphenyl]-N2-[(1S)-1-methyl-2-(methylsulfonylethyl)-3-[(methylsulfonyloxy)]-9CI] (CA INDEX NAME)

Absolute stereochemistry.





RN 866636-80-8 CAPLUS
CN 1,2-Benzenedicarboxamide, N1-[4-[[3,5-bis(trifluoromethyl)-1H-1,2,4-triazol-1-yl]methyl]-2-methylphenyl]-N2-[(1S)-1-methyl-2-(methylthioethyl)-3-[(methylsulfonyloxy)]-9CI] (CA INDEX NAME)

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2006 ACS ON STN
ACCESSION NUMBER: 2004:780681 CAPLUS
DOCUMENT NUMBER: 141:296023
TITLE: Preparation of phthalimide derivatives as insecticides
INVENTOR(S): Wada, Katsuki; Gomibuchi, Takuya; Yoneta, Yasushi;
Otsu, Yuichi; Shibuya, Katsuhiko; Matsuo, Hanako;
Fischer, Ruediger
PATENT ASSIGNEE(S): Bayer Cropscience A.-G., Germany
SOURCE: PCT Int. Appl., 88 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004080984	A1	20040923	WO 2004-EP2024	20040301
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MY, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, AY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, NI, TD, TG				
JP 2004277333	AZ	20041007	JP 2003-70274	20030314
AU 2004220444	A1	20040923	AU 2004-220444	20040301
EP 1606271	A1	20051221	EP 2004-715900	20040301
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MX, CY, AL, TR, BG, CZ, EE, HU, PL, SK				
BR 2004008354	A	20060321	BR 2004-8354	20040301
CN 1759105	A	20060412	CN 2004-80006780	20040301
PRIORITY APPL. INFO.:			JP 2003-70274	A 20030314
			WO 2004-EP2024	A 20040301

OTHER SOURCE(S): MARPAT 141:296023
GI



AB Title compds. represented by the formula I [wherein X = H, halo, (halo)alkyl, alkylsulfonyloxy, etc.; n = 1-4; Y = H, halo, (halo)alkyl, (halo)alkoxy, etc.; m = 1-4; R1 = (un)substituted (cyclo)alkyl; R2, R3 = independently H or alkyl; A1 = straight or branched chain (halo)alkylene, (halo)alkenylene, (halo)alkynylene, etc.; p = 0 or 1; A2 = straight or branched chain (halo)alkylene, (halo)alkenylene, (halo)alkynylene; q = 0 or 1; Q = (un)substituted heterocyclic ring; E = (bi)phenyl, naphthyl, thienyl, etc.] were prepared as insecticides. For example, reaction of 3-(1,1-dimethyl-2-methylthioethylimino)-4-iodo-3H-isobenzofuran-1-one

with

1-(4-amino-3-methylbenzyl)-4-(4-(trifluoromethyl)phenyl)-1,4-dihydro-2-tetrazol-5-one gave II. The prepared I showed 100% inhibition against larva of *Spodoptera litura* and *Cnaphalocrocis medinalis* Guenee at 20 ppm concentration of effective component.

IT 763128-41-2P 763129-09-5P 763129-10-8P

763129-11-9P

RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation);

USES


(Uses)

(preparation of phthalamide derivs. as larvicidal insecticides)

RN 763128-41-2 CAPLUS


CN 1,2-Benzenedicarboxamide,

N1-[4-[[[4-(2-chlorophenyl)-4,5-dihydro-5-oxo-1H-tetrazol-1-yl]methyl]phenyl]-N2-(1-methylethyl)-3-[(methylsulfonyl)oxy]- (9CI) (CA INDEX NAME)




REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE

FORMAT



RN 763129-09-5 CAPLUS


CN 1,2-Benzenedicarboxamide, N1-[4-[[[4-(3,5-bis(trifluoromethyl)phenyl)-4,5-dihydro-5-oxo-1H-tetrazol-1-yl]methyl]-2-methylphenyl]-N2-(1-methyl-2-(methylthio)ethyl)-3-[(methylsulfonyl)oxy]- (9CI) (CA INDEX NAME)



RN 763129-10-8 CAPLUS

CN Methanesulfonic acid, trifluoro-, 3-[[[4-[[[4-(3,5-bis(trifluoromethyl)phenyl)-4,5-dihydro-5-oxo-1H-tetrazol-1-yl]methyl]-2-

methylphenyl]amino]carbonyl]-2-[[[1-methyl-2-(methylthio)ethyl]amino]carbonyl]phenyl ester (9CI) (CA INDEX NAME)



RN 763129-11-9 CAPLUS

CN Ethanesulfonic acid, 3-[[[4-[[[4-(3,5-bis(trifluoromethyl)phenyl)-4,5-dihydro-5-oxo-1H-tetrazol-1-yl]methyl]-2-methylphenyl]amino]carbonyl]-2-[[[1-methyl-2-(methylthio)ethyl]amino]carbonyl]phenyl ester (9CI) (CA INDEX NAME)

ACCESSION NUMBER: 2004:2843 CAPLUS

DOCUMENT NUMBER: 140:59413

TITLE: Preparation of phthalamide derivatives as insecticides

INVENTOR(S): Wada, Katsunaki; Gomibuchi, Takuya; Yonetsu, Yasuhiro; Otsu, Yuichi; Shibuya, Katsuhiko; Matsuo, Hanako; Fischer, Ruediger

PATENT ASSIGNEE(S): Bayer CropScience AG, Germany

SOURCE: PCT Int. Appl., 69 pp.

CODEN: P1XXD2

PATENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004000796	A1	20031231	WO 2003-EP6105	20030611
M: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MY, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RM: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
P 2004018506	A2	20040122	JF 2002-180028	20020620
AU 2003258495	A1	20040106	AU 2003-258495	20030611
EP 1517886	A1	20050330	EP 2003-760601	20030611
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MX, CY, AL, TR, BG, CZ, EE, HU, SK				
BR 2003011955	A	20050426	BR 2003-11955	20030611
CN 1671655	A	20050921	CN 2003-818539	20030611
JP 2005529963	T2	20051006	JP 2004-514688	20030611
US 2006035967	A1	20060216	US 2005-517859	20050816
PRIORITY APPLN. INFO.:				
				WO 2003-EP6105
				M 20030611

OTHER SOURCE(S): MARPAT 140:59413

G1

Current app.



AB Title compds. I [R1 = (halo)alkyl; R2 = (cyclo)alkyl; R3 = H, halo, alkyl; R4 = H, (halo)alkyl, alkoxy, etc.; R5 = H, halo, alkyl] are prepared For instance, N-(4-heptafluoroisopropyl-2-methylphenyl)-4-[(methanesulfonyl)oxy]isoindol-1,3-dione is reacted with isopropylamine (room temperature, 4 h) to give the corresponding phthalamide II. I are useful

as insecticides: selected example compds. showed 100% rate of death at 20 ppm against *Spodoptera litura*.

IT 639513-15-8P 639513-16-8P 639513-19-2P
639513-20-5P 639513-21-6P 639513-22-7P
639513-23-8P 639513-27-2P 639513-28-3P
639513-29-4P 639513-33-0P 639513-34-1P

RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation);


USES (Uses)

(preparation of phthalamide derivs. as insecticides)

RN 639513-15-8 CAPLUS


CN 1,2-Benzenedicarboxamide, N2-[1-methyl-2-(methylthio)ethyl]-3-[(methylsulfonyl)oxy]-N1-[2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl]- (9CI)

(CA INDEX NAME)




RN 639513-16-9 CAPLUS

CN 1,2-Benzenedicarboxamide, N2-[1-methylpropyl]-3-[(methylsulfonyl)oxy]-N1-[2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl]- (9CI) (CA INDEX NAME)




RN 639513-22-7 CAPLUS

CN 1,2-Benzenedicarboxamide, N2-[1-methyl-2-(methylsulfinyl)ethyl]-3-[(methylsulfonyl)oxy]-N1-[2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl]- (9CI) (CA INDEX NAME)




RN 639513-23-8 CAPLUS

CN 1,2-Benzenedicarboxamide, N2-[1-methyl-2-(methylsulfonyl)ethyl]-3-[(methylsulfonyl)oxy]-N1-[2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl]- (9CI) (CA INDEX NAME)




RN 639513-27-2 CAPLUS

CN Ethanesulfonic acid, 2-[[[1-methylethyl]amino]carbonyl]-3-[[[2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl]amino]carbonyl]phenyl ester (9CI) (CA INDEX NAME)



RN 639513-19-2 CAPLUS


CN 1,2-Benzenedicarboxamide, N2-[1-methyl-2-(methylthio)ethyl]-3-[(methylsulfonyl)oxy]-N1-[4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl]- (9CI) (CA INDEX NAME)



RN 639513-20-5 CAPLUS


CN 1,2-Benzenedicarboxamide, N2-[1-methyl-2-(methylthio)ethyl]-3-[(methylsulfonyl)oxy]-N1-[2-methyl-4-(trifluoromethoxy)phenyl]- (9CI)

(CA INDEX NAME)




RN 639513-21-6 CAPLUS

CN 1,2-Benzenedicarboxamide, N2-[1-methyl-2-(methylthio)ethyl]-3-[(methylsulfonyl)oxy]-N1-[2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl]- (9CI) (CA INDEX NAME)




RN 639513-26-3 CAPLUS

CN Ethanesulfonic acid, 2-[[[1-methyl-2-(methylthio)ethyl]amino]carbonyl]-3-[[[2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl]amino]carbonyl]phenyl ester (9CI) (CA INDEX NAME)



RN 639513-29-4 CAPLUS


CN Ethanesulfonic acid, 2-[[[1-methyl-2-(methylsulfonyl)ethyl]amino]carbonyl]-3-[[[2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl]amino]carbonyl]phenyl ester (9CI) (CA INDEX NAME)




RN 639513-33-0 CAPLUS

CN Methanesulfonic acid, trifluoro-, 2-[[[1-methyl-2-(methylthio)ethyl]amino]carbonyl]-3-[[[2-methyl-4-[1,2,2,2-tetrafluoro-1-

L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 (trifluoromethyl)ethyl]phenyl]amino]carbonyl]phenyl ester (9CI) (CA
 INDEX NAME)



RN 639513-34-1 CAPLUS
 CN Methanesulfonic acid, trifluoro-, 2-[[[1-methyl-2-
 (methylsulfonyl)ethyl]amino]carbonyl]-3-[[[2-methyl-4-(1,2,2,2-tetrafluoro-
 1-(trifluoromethyl)ethyl]phenyl]amino]carbonyl]phenyl ester (9CI) (CA
 INDEX NAME)



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE
 FORMAT